

## ----- MATERIAL SAFETY DATA SHEET -----

**Balkamp Belt Dressing**

CLING SURFACE CO., INC.

IDENTITY (As Used on Label and List): Balkamp Belt Dressing

## SECTION I Consumer Commodity ORM-D

MANUFACTURER'S NAME: CLING SURFACE CO., INC.

1301 EDEN EVANS CTR RD.,  
ANGOLA NY 14006

EMERGENCY TELEPHONE NUMBER: 716 549-5400

TELEPHONE NUMBER FOR INFORMATION: 716 549-5400

DATE PREPARED: July 1986

## SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

## Hazardous Components

(Specific Chemical

Identity; Common Name(s)	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Tacifiers (CAS not known)			38%	
Heptane (142-82-5)			17% 400 TLV	
Methylene Chloride (75-09-2)			30% 100 TLV	
Propane/isobutane (74-98-6)			15% 1000 TLV	

## SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

## BOILING POINT:

VAPOR PRESSURE (mm Hg.): Less than 130 @ 140 deg F.

VAPOR DENSITY (AIR = 1): Heavier than air

SPECIFIC GRAVITY (H<sub>2</sub>O = 1):

## MELTING POINT:

EVAPORATION RATE (Butyl Acetate = 1):

SOLUBILITY IN WATER: Less than 1%

APPEARANCE AND ODOR: Light amber solvent.

## SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method Used): Below 20 deg F T.O.C.

## FLAMMABLE LIMITS:

LEL:

UEL:

EXTINGUISHING MEDIA: Waterfog, foam, CO<sub>2</sub>, or dry chemical.SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool, use  
equipment or shielding required to protect against  
bursting or venting containers.UNUSUAL FIRE AND EXPLOSION HAZARDS: At elevated  
temperatures (130 deg F or over) containers may vent,

rupture or burst.

---

SECTION V - REACTIVITY DATA

---

STABILITY: Stable

CONDITIONS TO AVOID: Pressurized containers could rupture above 103 deg F.

INCOMPATIBILITY (Materials to Avoid): NA

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon Dioxide, Carbon Monoxide and water from burning.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID:

---

SECTION VI - HEALTH HAZARD DATA

---

ROUTE(S) OF ENTRY:

INHALATION? Yes

SKIN? Yes

INGESTION? Yes

HEALTH HAZARDS (Acute and Chronic): May cause dizziness or, in extreme cases, absence of oxygen could produce narcosis.

CARCINOGENICITY: Not presently on any list  
NTP?

IARC MONOGRAPHS?

OSHA REGULATED?

SIGNS AND SYMPTOMS OF EXPOSURE: NA

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NA

EMERGENCY AND FIRST AID PROCEDURES: If unconscious, remove to fresh air and call a physician; if sprayed in eyes, flush immediately with large quantities of water.

---

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

---

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Flush with large quantities of water, ventilate area.

WASTE DISPOSAL METHOD: Do not puncture or incinerate containers. Give to local disposal service equipped to safely handle and dispose of pressurized containers.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not store in temperatures above 130 deg F.

Read and follow cautions on product label.

OTHER PRECAUTIONS: None

---

SECTION VIII - CONTROL MEASURES

---

RESPIRATORY PROTECTION (Specify Type): Avoid breathing concentrated vapors or particles from all products designed not to be inhaled.

VENTILATION:

LOCAL EXHAUST: Normal

MECHANICAL (General): NA

SPECIAL: NA

OTHER: NA

PROTECTIVE GLOVES: NA

EYE PROTECTION: NA  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NA  
WORK/HYGIENIC PRACTICES: NA

-----  
DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES: although preparer and owner have taken reasonable care in the preparation of this document, we extend no warranties and make no representation as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each user should make a determination as to the suitability of the information for their particular purpose(s). A request has been made to the manufacturer to approve the contents of this material safety data sheet. Upon receipt of any changes a new MSDS will be made available.

-----  
COMPAS Code: 31540010      NAC Approved Date: / / .  
-----